

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407-339-5984 Fax 407-260-6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772-343-8006 Fax 772-343-8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464


PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Report Summary

Date Received: Apr 24, 2008

FCL Project Manager: June S. Flowers

Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
64720SW1	GBM-4-M	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
64720SW2	GBM-4-M Duplicate	TotNit			Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
64720SW3	GBM-4-B	SM5210 B	CCP	Main Lab	Surface Water
		TotNit			
		EPA200.8	EVB	Main Lab	
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
64720SW4	GBM-4-B Duplicate	EPA365.1	PCW	Main Lab	Surface Water
		EPA365.4	JGK	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW5	GBM-5-S	XBNE	CDG	Main Lab	Surface Water
		EPA200.8	EVB	Main Lab	
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407-339-5984 Fax 407-260-6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772-343-8006 Fax 772-343-8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

64720SW6	GBM-5-S Duplicate	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
SM5210 B	CCP	Main Lab			
64720SW7	GBM-5-M	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
SM5210 B	CCP	Main Lab			
64720SW8	GBM-5-M Duplicate	TotNit			
		EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
SM5210 B	CCP	Main Lab			
64720SW9	GBM-5-B	TotNit			
		EPA200.8	EVB	Main Lab	Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		EPA8270	CLS	Main Lab	
SM3500-Cr B	EVB	Main Lab			
SM5210 B	CCP	Main Lab			
64720SW10	GBM-5-B Duplicate	TotNit			
		XBNE	CDG	Main Lab	Surface Water
		EPA200.8	EVB	Main Lab	
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
EPA8270	CLS	Main Lab			
SM3500-Cr B	EVB	Main Lab			
SM5210 B	CCP	Main Lab			
64720SW11	GBM-2-B	TotNit			
		XBNE	CDG	Main Lab	Surface Water
		EPA200.8	EVB	Main Lab	
		EPA350.1	PCW	Main Lab	
EPA351.2	VLB	Main Lab			




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407-339-5984 Fax 407-260-6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772-343-8006 Fax 772-343-8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		XBNE	CDG	Main Lab	
64720SW12	GBM-2-B Duplicate	EPA200.8	EVB	Main Lab	Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		XBNE	CDG	Main Lab	
64720SW13	GBM-3-S	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW14	GBM-3-S Duplicate	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW15	GBM-3-M	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW16	GBM-3-M Duplicate	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407-339-5984 Fax 407-260-6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772-343-8006 Fax 772-343-8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

64720SW17	GBM-3-B	EPA200.8	EVB	Main Lab	Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		XBNE	CDG	Main Lab	
64720SW18	GBM-3-B Duplicate	EPA200.8	EVB	Main Lab	Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		XBNE	CDG	Main Lab	
64720SW19	GBM-4-S	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
EPA365.4	JGK	Main Lab			
SM5210 B	CCP	Main Lab			
64720SW20	GBM-4-S Duplicate	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
EPA365.4	JGK	Main Lab			
SM5210 B	CCP	Main Lab			
64720SW21	GBM-1-S	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
EPA365.4	JGK	Main Lab			
SM5210 B	CCP	Main Lab			
64720SW22	GBM-1-S Duplicate	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
EPA365.4	JGK	Main Lab			
SM5210 B	CCP	Main Lab			




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407-339-5984 Fax 407-260-6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772-343-8006 Fax 772-343-8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW23	GBM-1-M	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	JGK	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW24	GBM-1-M Duplicate	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW25	GBM-1-B	EPA200.8	EVB	Main Lab	Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		XBNE	CDG	Main Lab	
64720SW26	GBM-1-B Duplicate	EPA200.8	EVB	Main Lab	Surface Water
		EPA350.1	PCW	Main Lab	
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		EPA8270	CLS	Main Lab	
		SM3500-Cr B	EVB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
		XBNE	CDG	Main Lab	
64720SW27	GBM-2-S	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW28	GBM-2-S Duplicate	EPA350.1	PCW	Main Lab	Surface Water



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407-339-5984 Fax 407-260-6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772-343-8006 Fax 772-343-8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720


		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW29	GBM-2-M	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			
64720SW30	GBM-2-M Duplicate	EPA350.1	PCW	Main Lab	Surface Water
		EPA351.2	VLB	Main Lab	
		EPA353.2	PCW	Main Lab	
		EPA365.1	PCW	Main Lab	
		EPA365.4	VLB	Main Lab	
		SM5210 B	CCP	Main Lab	
		TotNit			

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAC Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Analysis Report

Lab #:	Sampled:	Desc:								
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Lab #: 64720SW1	Sampled: 04/23/08 05:45 PM	Desc: GBM-4-M								
Total Nitrogen(as N)	0.535		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08 09:37 AM	
Nitrate(as N)	0.0291	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08 11:37 AM	
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08 11:37 AM	
Total Phosphorous(as P)	0.845	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.506	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	
Lab #: 64720SW2	Sampled: 04/23/08 05:45 PM	Desc: GBM-4-M Duplicate								
Total Nitrogen(as N)	0.435		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08 09:38 AM	
Nitrate(as N)	0.0318	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08 11:38 AM	
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08 11:38 AM	
Total Phosphorous(as P)	0.751	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.404	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	
Lab #: 64720SW3	Sampled: 04/23/08 05:50 PM	Desc: GBM-4-B								
Total Nitrogen(as N)	0.360		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08 09:39 AM	




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed		
Nitrate(as N)	0.0319	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08	11:39 AM	
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08	11:39 AM	
Arsenic	0.171	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08		
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08		
Copper	0.0206	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08		
Lead	0.00193 I	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08		
Zinc	0.0349	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08		
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08	08:35 AM	
Total Phosphorous(as P)	0.833	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08		
TKN(as N)	0.328 I	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9			
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM	
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08		
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08		
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08		
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08		
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08		
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08		
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08		
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08		
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08		
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08		
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08		
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08		
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08		
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08		
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08		
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08		
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08		
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08		



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:							
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Lab #: 64720SW3	04/23/08 05:50 PM	GBM-4-B							
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	72.20%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08
Surr:Nitrobenzene-d5 (166-249%)	116.68%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	91.90%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #:	Sampled:	Desc:							
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Lab #: 64720SW4	04/23/08 05:50 PM	GBM-4-B Duplicate							
Total Nitrogen(as N)	0.708		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08 09:40 AM
Nitrate(as N)	0.0317	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08 11:40 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08 11:40 AM
Arsenic	0.190	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08
Copper	0.0218	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08
Lead	0.00184 l	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08
Zinc	0.0395	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM
Total Phosphorous(as P)	0.702 J	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.676	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08
Ammonia (as N)	0.220	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.00125	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:							
64720SW4	04/23/08 05:50 PM	GBM-4-B Duplicate							
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	65.14%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08
Surr:Nitrobenzene-d5 (166-249%)	108.26%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	89.64%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #:	Sampled:	Desc:							
64720SW5	04/23/08 05:10 PM	GBM-5-S							
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.350		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08 09:40 AM
Nitrate(as N)	0.0283	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08 11:41 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08 11:41 AM
Total Phosphorous(as P)	0.576	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.321 I	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878


City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW6 Sampled: 04/23/08 05:10 PM Desc: GBM-5-S Duplicate										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Total Nitrogen(as N)	0.639		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08	09:41 AM
Nitrate(as N)	0.0277	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08	11:42 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08	11:42 AM
Total Phosphorous(as P)	0.759	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.611	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	

Lab #: 64720SW7 Sampled: 04/23/08 05:15 PM Desc: GBM-5-M										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Total Nitrogen(as N)	0.502		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08	09:42 AM
Nitrate(as N)	0.0285	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08	11:43 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08	11:43 AM
Total Phosphorous(as P)	0.735	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.473	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	

Lab #: 64720SW8 Sampled: 04/23/08 05:15 PM Desc: GBM-5-M Duplicate										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Total Nitrogen(as N)	0.426		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103087	EPA365.1	14265-44-2	04/25/08	09:43 AM
Nitrate(as N)	0.0285	mg/L	1.00	0.0100	0.0200	10103093	EPA353.2	14797-55-8	04/25/08	11:45 AM



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:								
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analized	
Lab #: 64720SW8	04/23/08 05:15 PM	GBM-5-M Duplicate								
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103093	EPA353.2	14797-65-0	04/25/08 11:45 AM	
Total Phosphorous(as P)	0.692	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM	
TKN(as N)	0.398 I	mg/L	1.00	0.200	0.400	10103456	EPA351.2	7727-37-9	04/30/08	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	

Lab #:	Sampled:	Desc:								
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analized	
Lab #: 64720SW9	04/23/08 05:20 PM	GBM-5-B								
Total Nitrogen(as N)	0.388		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:46 AM	
Nitrate(as N)	0.0266	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 11:49 AM	
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 11:49 AM	
Arsenic	0.176	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08	
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08	
Copper	0.0213	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08	
Lead	0.00448	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08	
Zinc	0.0380	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08	
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM	
Total Phosphorous(as P)	0.876	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.361 I	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM	
Base_Neutral_Extraction	930	mL	1.00			10103476	XBNE		04/28/08	
Ammonia (as N)	0.0203	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000115 I	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08	
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08	
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08	
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08	



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:								
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08	
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08	
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08	
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08	
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08	
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08	
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08	
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08	
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08	
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08	
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08	
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08	
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08	
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08	
Surr:2-Fluorobiphenyl (131-196%)	66.22%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08	
Surr:Nitrobenzene-d5 (166-249%)	109.90%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08	
Surr:Terphenyl-d14 (132-198%)	82.08%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08	

Lab #:	Sampled:	Desc:								
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Total Nitrogen(as N)	0.562		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:49 AM	
Nitrate(as N)	0.0294	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 11:52 AM	
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 11:52 AM	
Arsenic	0.184	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08	
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08	
Copper	0.0211	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08	
Lead	0.00316	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08	
Zinc	0.0407	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08	




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW10 Sampled: 04/23/08 05:20 PM Desc: GBM-5-B Duplicate										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analized	
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08	08:35 AM
Total Phosphorous(as P)	0.644	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.532	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08	
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08	
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08	
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08	
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08	
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08	
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08	
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08	
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08	
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08	
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08	
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08	
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08	
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08	
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08	
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08	
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08	
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08	
Surr:2-Fluorobiphenyl (131-196%)	74.44%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08	
Surr:Nitrobenzene-d5 (166-249%)	121.38%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08	
Surr:Terphenyl-d14 (132-198%)	92.78%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08	




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:							
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analized
Total Nitrogen(as N)	0.823		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:50 AM
Nitrate(as N)	0.265	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 11:53 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 11:53 AM
Arsenic	0.173	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08
Copper	0.0249	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08
Lead	0.00293	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08
Zinc	0.0492	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM
Total Phosphorous(as P)	0.602	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.558	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464


PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW11 **Sampled:** 04/23/08 06:48 PM **Desc:** GBM-2-B

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	64.00%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08
Surr:Nitrobenzene-d5 (166-249%)	107.92%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	65.76%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #: 64720SW12 **Sampled:** 04/23/08 06:48 PM **Desc:** GBM-2-B Duplicate

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.793		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:51 AM
Nitrate(as N)	0.0508	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 11:54 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 11:54 AM
Arsenic	0.187	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08
Copper	0.0286	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08
Lead	0.00342	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08
Zinc	0.0561	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM
Total Phosphorous(as P)	0.581	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.742	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464


PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW12 Sampled: 04/23/08 06:48 PM Desc: GBM-2-B Duplicate

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	71.58%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08
Surr:Nitrobenzene-d5 (166-249%)	115.00%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	90.50%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #: 64720SW13 Sampled: 04/23/08 06:05 PM Desc: GBM-3-S

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.546		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:51 AM
Nitrate(as N)	0.0288	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 11:55 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 11:55 AM
Total Phosphorous(as P)	0.504	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.517	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9	



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878


City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW13 Sampled: 04/23/08 06:05 PM Desc: GBM-3-S										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	

Lab #: 64720SW14 Sampled: 04/23/08 06:05 PM Desc: GBM-3-S Duplicate										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Total Nitrogen(as N)	0.349		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08	09:52 AM
Nitrate(as N)	0.0291	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08	11:57 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08	11:57 AM
Total Phosphorous(as P)	0.510 J	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.320 I	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103484	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	

Lab #: 64720SW15 Sampled: 04/23/08 06:10 PM Desc: GBM-3-M										
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
Total Nitrogen(as N)	0.551		0				TotNit	17778-88-0		
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08	09:53 AM
Nitrate(as N)	0.0294	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08	11:58 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08	11:58 AM
Total Phosphorous(as P)	0.792	mg/L	1.00	0.100	0.200	10103305	EPA365.4	7723-14-0	04/29/08	
TKN(as N)	0.522	mg/L	1.00	0.200	0.400	10103307	EPA351.2	7727-37-9		
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08	11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103486	EPA350.1		05/01/08	



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW16 Sampled: 04/23/08 06:10 PM Desc: GBM-3-M Duplicate									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.545		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:54 AM
Nitrate(as N)	0.0282	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 11:59 AM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 11:59 AM
Total Phosphorous(as P)	0.690	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.517	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08

Lab #: 64720SW17 Sampled: 04/23/08 06:15 PM Desc: GBM-3-B									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.685		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:55 AM
Nitrate(as N)	0.0304	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:00 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:00 PM
Arsenic	0.185	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08
Copper	0.0217	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08
Lead	0.00117 I	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08
Zinc	0.0393	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM
Total Phosphorous(as P)	0.762	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.654	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Base_Neutral_Extraction	890	mL	1.00			10103476	XBNE		04/28/08
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464


PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW17 Sampled: 04/23/08 06:15 PM Desc: GBM-3-B

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	70.16%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08
Surr:Nitrobenzene-d5 (166-249%)	111.18%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	88.88%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #: 64720SW18 Sampled: 04/23/08 06:15 PM Desc: GBM-3-B Duplicate

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.581		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:56 AM
Nitrate(as N)	0.0276	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:01 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:01 PM
Arsenic	0.204	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-43-9	04/25/08




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:							
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Copper	0.0250	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7440-50-8	04/25/08
Lead	0.00129 I	mg/L	1.00	0.00100	0.00200	10103136	EPA200.8	7439-92-1	04/25/08
Zinc	0.0410	mg/L	1.00	0.0100	0.0200	10103136	EPA200.8	7440-66-6	04/25/08
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM
Total Phosphorous(as P)	0.570	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.553	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08
Ammonia (as N)	0.0439	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000277	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	64.04%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464


PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW18 Sampled: 04/23/08 06:15 PM Desc: GBM-3-B Duplicate									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Surr:Nitrobenzene-d5 (166-249%)	103.96%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	90.82%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #: 64720SW19 Sampled: 04/23/08 05:40 PM Desc: GBM-4-S									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.283		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:58 AM
Nitrate(as N)	0.0270	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:05 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:05 PM
Total Phosphorous(as P)	0.638	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.256 l	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08

Lab #: 64720SW20 Sampled: 04/23/08 05:40 PM Desc: GBM-4-S Duplicate									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.440		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 09:59 AM
Nitrate(as N)	0.0277	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:06 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:06 PM
Total Phosphorous(as P)	0.694	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.412	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103358	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08

Lab #: 64720SW21 Sampled: 04/23/08 07:15 PM Desc: GBM-1-S									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878


City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW21 Sampled: 04/23/08 07:15 PM Desc: GBM-1-S									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.665		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:00 AM
Nitrate(as N)	0.0296	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:07 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:07 PM
Total Phosphorous(as P)	0.594	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.635	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08

Lab #: 64720SW22 Sampled: 04/23/08 07:15 PM Desc: GBM-1-S Duplicate									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.605		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:01 AM
Nitrate(as N)	0.0271	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:08 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:08 PM
Total Phosphorous(as P)	0.769	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08
TKN(as N)	0.578	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08

Lab #: 64720SW23 Sampled: 04/23/08 07:20 PM Desc: GBM-1-M									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.341		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:02 AM
Nitrate(as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:10 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:10 PM
Total Phosphorous(as P)	0.690	mg/L	1.00	0.100	0.200	10103306	EPA365.4	7723-14-0	04/29/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878


City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW23 Sampled: 04/23/08 07:20 PM Desc: GBM-1-M									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
TKN(as N)	0.331 I	mg/L	1.00	0.200	0.400	10103308	EPA351.2	7727-37-9	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08

Lab #: 64720SW24 Sampled: 04/23/08 07:20 PM Desc: GBM-1-M Duplicate									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.776		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:03 AM
Nitrate(as N)	0.0270	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:11 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:11 PM
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
Total Phosphorous(as P)	0.800	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08
TKN(as N)	0.749	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08

Lab #: 64720SW25 Sampled: 04/23/08 07:25 PM Desc: GBM-1-B									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.681		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:03 AM
Nitrate(as N)	0.0285	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:12 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:12 PM
Arsenic	0.143	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7440-43-9	04/25/08
Copper	0.0231	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7440-50-8	04/25/08
Lead	0.00238	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7439-92-1	04/25/08
Zinc	0.0543	mg/L	1.00	0.0100	0.0200	10103134	EPA200.8	7440-66-6	04/25/08




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #:	Sampled:	Desc:								
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analized	
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM	
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM	
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08	
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08	
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08	
Total Phosphorous(as P)	0.695	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08	
TKN(as N)	0.653	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08	
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08	
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08	
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08	
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08	
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08	
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08	
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08	
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08	
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08	
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08	
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08	
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08	
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08	
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08	
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08	
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08	
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08	
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08	
Surr:2-Fluorobiphenyl (131-196%)	58.60%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08	
Surr:Nitrobenzene-d5 (166-249%)	99.52%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08	
Surr:Terphenyl-d14 (132-198%)	66.84%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08	




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW26 Sampled: 04/23/08 07:25 PM Desc: GBM-1-B Duplicate									
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.461		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:04 AM
Nitrate(as N)	0.109	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:13 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:13 PM
Arsenic	0.154	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7440-38-2	04/25/08
Cadmium	0.00100 U	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7440-43-9	04/25/08
Copper	0.0268	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7440-50-8	04/25/08
Lead	0.00521	mg/L	1.00	0.00100	0.00200	10103134	EPA200.8	7439-92-1	04/25/08
Zinc	0.0562	mg/L	1.00	0.0100	0.0200	10103134	EPA200.8	7440-66-6	04/25/08
Chromium, Hexavalent	0.0100 U	mg/L	1.00	0.0100	0.0200	10103155	SM3500-Cr B	1333-82-0	04/28/08 08:35 AM
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Base_Neutral_Extraction	1000	mL	1.00			10103476	XBNE		04/28/08
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
Total Phosphorous(as P)	0.691	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08
TKN(as N)	0.352 I	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08
1-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	090-12-0	05/02/08
2-methyl-Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-57-6	05/02/08
Acenaphthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	83-32-9	05/02/08
Acenaphthylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	208-96-8	05/02/08
Anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	120-12-7	05/02/08
Benzo(a)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	56-55-3	05/02/08
Benzo(a)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	50-32-8	05/02/08
Benzo(b)fluoranthene	0.100 U	ug/L	1.00	0.100	0.200	10103693	EPA8270	205-99-2	05/02/08
Benzo(g,h,i)perylene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	191-24-2	05/02/08
Benzo(k)fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	207-08-9	05/02/08
Chrysene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	218-01-9	05/02/08
Dibenz(a,h)anthracene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	53-70-3	05/02/08
Fluoranthene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	206-44-0	05/02/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Lab #: 64720SW26 Sampled: 04/23/08 07:25 PM Desc: GBM-1-B Duplicate


Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Fluorene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	86-73-7	05/02/08
Indeno(1,2,3-cd)pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	193-39-5	05/02/08
Naphthalene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	91-20-3	05/02/08
Phenanthrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	85-01-8	05/02/08
Pyrene	0.200 U	ug/L	1.00	0.200	0.400	10103693	EPA8270	129-00-0	05/02/08
Surr:2-Fluorobiphenyl (131-196%)	65.54%		1.00	0.0100	0.0200	10103693	EPA8270	321-60-8	05/02/08
Surr:Nitrobenzene-d5 (166-249%)	106.18%		1.00	0.0100	0.400	10103693	EPA8270		05/02/08
Surr:Terphenyl-d14 (132-198%)	82.82%		1.00	0.0100	0.0200	10103693	EPA8270		05/02/08

Lab #: 64720SW27 Sampled: 04/23/08 06:40 PM Desc: GBM-2-S

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.464		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:05 AM
Nitrate(as N)	0.0294	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:14 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:14 PM
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
Total Phosphorous(as P)	0.604	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08
TKN(as N)	0.435	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08

Lab #: 64720SW28 Sampled: 04/23/08 06:40 PM Desc: GBM-2-S Duplicate

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.314		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103088	EPA365.1	14265-44-2	04/25/08 10:06 AM
Nitrate(as N)	0.0272	mg/L	1.00	0.0100	0.0200	10103094	EPA353.2	14797-55-8	04/25/08 12:15 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103094	EPA353.2	14797-65-0	04/25/08 12:15 PM
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103360	SM5210 B	E1640606	04/25/08 11:30 AM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Lab #: 64720SW28 Sampled: 04/23/08 06:40 PM Desc: GBM-2-S Duplicate


Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
Total Phosphorous(as P)	0.653	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08
TKN(as N)	0.287 I	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08

Lab #: 64720SW29 Sampled: 04/23/08 06:43 PM Desc: GBM-2-M

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.593		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103089	EPA365.1	14265-44-2	04/25/08 10:09 AM
Nitrate(as N)	0.0280	mg/L	1.00	0.0100	0.0200	10103095	EPA353.2	14797-55-8	04/25/08 12:19 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103095	EPA353.2	14797-65-0	04/25/08 12:19 PM
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103361	SM5210 B	E1640606	04/25/08 12:00 PM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
Total Phosphorous(as P)	0.741	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08
TKN(as N)	0.565	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08

Lab #: 64720SW30 Sampled: 04/23/08 06:43 PM Desc: GBM-2-M Duplicate

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed
Total Nitrogen(as N)	0.465		0				TotNit	17778-88-0	
Orthophosphate(as P)	0.00200 U	mg/L	1.00	0.00200	0.00400	10103089	EPA365.1	14265-44-2	04/25/08 10:12 AM
Nitrate(as N)	0.0287	mg/L	1.00	0.0100	0.0200	10103095	EPA353.2	14797-55-8	04/25/08 12:23 PM
Nitrite(as N)	0.0200 U	mg/L	1.00	0.0200	0.0400	10103095	EPA353.2	14797-65-0	04/25/08 12:23 PM
BOD5day	2.00 U	mg/L	1.00	2.00	2.00	10103361	SM5210 B	E1640606	04/25/08 12:00 PM
Ammonia (as N)	0.0100 U	mg/L	1.00	0.0100	0.0200	10103485	EPA350.1	7664-41-7	05/01/08
Unionized NH3(as N)	0.000100 U	mg/L	1.00	0.000100	0.000200	10103487	EPA350.1		05/01/08
Total Phosphorous(as P)	0.890	mg/L	1.00	0.100	0.200	10103648	EPA365.4	7723-14-0	04/30/08
TKN(as N)	0.436	mg/L	1.00	0.200	0.400	10103650	EPA351.2	7727-37-9	04/30/08



FLOWERS CHEMICAL LABORATORIES INC.


P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Report

Quality Control Batch: 10103088		Analyst: PCW						
Blank	Result	Units						
Orthophosphate(as P)	0.00200U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Orthophosphate(as P)	0.985	mg/L	1.00	98.50	85.37-109.87			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Orthophosphate(as P)	0.454	mg/L	0.500	98.44	70.25-122.48	-0.0382		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Orthophosphate(as P)	0.468	mg/L	0.500	101.24	70.25-122.48	-0.0382	3.04	17.11
Quality Control Batch: 10103093		Analyst: PCW						
Blank	Result	Units						
Nitrate(as N)	0.0100U	mg/L						
Nitrite(as N)	0.0200U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Nitrate(as N)	1.93	mg/L	2.00	96.50	80.00-120.00			
Nitrite(as N)	0.988	mg/L	1.00	98.80	80.00-120.00			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Nitrate(as N)	3.86	mg/L	4.00	92.95	80.00-120.00	0.142		
Nitrite(as N)	3.74	mg/L	4.00	93.85	80.00-120.00	-0.0141		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103093		Analyst: PCW						
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Nitrate(as N)	3.86	mg/L	4.00	92.95	80.00-120.00	0.142	0.00	20.00
Nitrite(as N)	3.74	mg/L	4.00	93.85	80.00-120.00	-0.0141	0.00	20.00

Quality Control Batch: 10103094		Analyst: PCW						
Blank	Result	Units						
Nitrate(as N)	0.0100U	mg/L						
Nitrite(as N)	0.0200U	mg/L						


Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Nitrate(as N)	1.97	mg/L	2.00	98.50	80.00-120.00			
Nitrite(as N)	0.981	mg/L	1.00	98.10	80.00-120.00			

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Nitrate(as N)	3.63	mg/L	4.00	90.09	80.00-120.00	0.0266		
Nitrite(as N)	3.67	mg/L	4.00	92.24	80.00-120.00	-0.0194		

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Nitrate(as N)	3.45	mg/L	4.00	85.59	80.00-120.00	0.0266	5.08	20.00
Nitrite(as N)	3.49	mg/L	4.00	87.74	80.00-120.00	-0.0194	5.03	20.00

Quality Control Batch: 10103095		Analyst: PCW						
Blank	Result	Units						
Nitrate(as N)	0.0100U	mg/L						
Nitrite(as N)	0.0200U	mg/L						

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Nitrate(as N)	2.00	mg/L	2.00	100.00	80.00-120.00			
Nitrite(as N)	0.991	mg/L	1.00	99.10	80.00-120.00			



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Nitrate(as N)	3.78	mg/L	4.00	93.80	80.00-120.00	0.0280
Nitrite(as N)	3.80	mg/L	4.00	95.47	80.00-120.00	-0.0188

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Nitrate(as N)	3.78	mg/L	4.00	93.80	80.00-120.00	0.0280	0.00	20.00
Nitrite(as N)	3.80	mg/L	4.00	95.47	80.00-120.00	-0.0188	0.00	20.00

Quality Control Batch: 10103134


Analyst: EVB

Blank	Result	Units
Arsenic	0.00100U	mg/L
Cadmium	0.00100U	mg/L
Copper	0.00100U	mg/L
Lead	0.00100U	mg/L
Zinc	0.0100U	mg/L

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
Arsenic	0.0995	mg/L	0.100	99.48	81.93-119.74
Cadmium	0.103	mg/L	0.100	102.66	85.61-121.52
Copper	0.101	mg/L	0.100	100.72	83.47-123.46
Lead	0.104	mg/L	0.100	103.52	85.29-122.99
Zinc	0.107	mg/L	0.100	106.59	78.11-124.45

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Arsenic	0.0786	mg/L	0.0800	98.21	69.79-148.76	0.00100U
Cadmium	0.0780	mg/L	0.0800	97.46	74.04-138.49	0.00100U
Copper	0.496	mg/L	0.0800	82.59	49.86-141.65	0.430
Lead	0.0997	mg/L	0.0800	96.40	65.33-149.14	0.0226
Zinc	0.445	mg/L	0.0800	91.74	49.35-144.25	0.371

Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
------------------------	--------	-------	-------	------	----------	--------	-----	---------



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720


Quality Control Batch: 10103134		Analyst: EVB							
Matrix Spike Duplicate		Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Arsenic		0.0857	mg/L	0.0800	107.18	69.79-148.76	0.00100U	8.73	23.88
Cadmium		0.0864	mg/L	0.0800	108.04	74.04-138.49	0.00100U	10.29	24.44
Copper		0.525	mg/L	0.0800	118.03	49.86-141.65	0.430	5.55	24.86
Lead		0.108	mg/L	0.0800	106.16	65.33-149.14	0.0226	7.54	25.57
Zinc		0.462	mg/L	0.0800	112.96	49.35-144.25	0.371	3.75	25.37

Quality Control Batch: 10103136		Analyst: EVB							
Blank		Result	Units						
Arsenic		0.00100U	mg/L						
Cadmium		0.00100U	mg/L						
Copper		0.00100U	mg/L						
Lead		0.00100U	mg/L						
Zinc		0.0100U	mg/L						

Laboratory Control Sample		Result	Units	Spike	%REC	%REC Lim			
Arsenic		0.210	mg/L	0.200	105.16	76.69-122.02			
Cadmium		0.211	mg/L	0.200	105.28	83.55-122.24			
Copper		0.210	mg/L	0.200	105.24	84.94-123.97			
Lead		0.221	mg/L	0.200	110.32	90.62-122.65			
Zinc		0.223	mg/L	0.200	111.50	80.98-122.30			

Matrix Spike		Result	Units	Spike	%REC	%REC Lim	Sample		
Arsenic		0.366	mg/L	0.200	106.40	72.43-140.81	0.154		
Cadmium		0.218	mg/L	0.200	109.12	77.67-136.39	0.00100U		
Copper		0.224	mg/L	0.200	100.54	55.09-143.14	0.0226		
Lead		0.209	mg/L	0.200	103.64	73.93-150.56	0.00166		
Zinc		0.254	mg/L	0.200	108.91	54.51-142.91	0.0359		

Matrix Spike Duplicate		Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
------------------------	--	--------	-------	-------	------	----------	--------	-----	---------



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878


City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103136		Analyst: EVB						
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Arsenic	0.391	mg/L	0.200	118.79	72.43-140.81	0.154	6.54	33.14
Cadmium	0.233	mg/L	0.200	116.69	77.67-136.39	0.00100U	6.70	30.49
Copper	0.239	mg/L	0.200	108.27	55.09-143.14	0.0226	6.68	24.08
Lead	0.225	mg/L	0.200	111.81	73.93-150.56	0.00166	7.52	24.91
Zinc	0.266	mg/L	0.200	115.31	54.51-142.91	0.0359	4.93	24.70

Quality Control Batch: 10103155		Analyst: EVB						
Blank	Result	Units						
Chromium, Hexavalent	0.0100U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Chromium, Hexavalent	0.0914	mg/L	0.100	91.37	80.00-120.00			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Chromium, Hexavalent	0.0466	mg/L	0.0500	93.21	80.00-120.00	0.0100U		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Chromium, Hexavalent	0.0469	mg/L	0.0500	93.75	80.00-120.00	0.0100U	0.58	20.00

Quality Control Batch: 10103305		Analyst: JGK						
Blank	Result	Units						
Total Phosphorous(as P)	0.100U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Total Phosphorous(as P)	2.14	mg/L	2.00	107.15	89.44-107.01			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Total Phosphorous(as P)	2.49	mg/L	1.50	119.47	81.99-117.81	0.700		



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Quality Control Batch: 10103306 Analyst: JGK

Blank	Result	Units				
Total Phosphorous(as P)	0.100U	mg/L				

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim	
Total Phosphorous(as P)	0.959	mg/L	1.00	95.85	89.44-107.01	

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Total Phosphorous(as P)	2.46	mg/L	1.50	130.13	81.99-117.81	0.510

Quality Control Batch: 10103307 Analyst: VLB

Blank	Result	Units				
TKN(as N)	0.200U	mg/L				

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim	
TKN(as N)	3.98	mg/L	4.00	99.51	82.56-111.48	


Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
TKN(as N)	3.79	mg/L	3.00	103.84	70.42-125.50	0.676

Quality Control Batch: 10103308 Analyst: VLB

Blank	Result	Units				
TKN(as N)	0.200U	mg/L				

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim	
TKN(as N)	1.92	mg/L	2.00	96.18	82.56-111.48	

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
TKN(as N)	3.31	mg/L	3.00	99.61	70.42-125.50	0.320




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103358		Analyst: CCP			
Blank	Result	Units			
BOD5day	2.00U	mg/L			
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
BOD5day	212	mg/L	198	107.09	70.21-117.96
Quality Control Batch: 10103360		Analyst: CCP			
Blank	Result	Units			
BOD5day	2.00U	mg/L			
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
BOD5day	212	mg/L	198	107.09	70.21-117.96
Quality Control Batch: 10103361		Analyst: CCP			
Blank	Result	Units			
BOD5day	2.00U	mg/L			
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
BOD5day	197	mg/L	198	99.36	70.21-117.96
Quality Control Batch: 10103456		Analyst: VLB			
Blank	Result	Units			
TKN(as N)	0.200U	mg/L			
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
TKN(as N)	4.12	mg/L	4.00	102.96	82.56-111.48



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464


PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103456		Analyst: VLB				
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
TKN(as N)	3.57	mg/L	3.00	107.02	70.42-125.50	0.362

Quality Control Batch: 10103485		Analyst: PCW						
Blank	Result	Units						
Ammonia (as N)	0.0100U	mg/L						
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim			
Ammonia (as N)	0.473	mg/L	0.500	94.60	79.00-119.89			
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Ammonia (as N)	0.957	mg/L	1.00	100.67	50.68-137.76	-0.0497		
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Ammonia (as N)	0.956	mg/L	1.00	100.57	50.68-137.76	-0.0497	0.10	7.78

Quality Control Batch: 10103486		Analyst: PCW				
Blank	Result	Units				
Unionized NH3(as N)	0.000100U	mg/L				

Quality Control Batch: 10103487		Analyst: PCW				
Blank	Result	Units				
Unionized NH3(as N)	0.000100U	mg/L				



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
 8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
 P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
 PO Box 6434
 Key West, FL 33041-6464

PO #: n/a
 Client Project #: Garrison Bight Marina
 Date Sampled: Apr 23, 2008
 May 6, 2008; Invoice: 64720

Quality Control Batch: 10103648 Analyst: VLB

Blank	Result	Units
Total Phosphorous(as P)	0.100U	mg/L

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
Total Phosphorous(as P)	2.15	mg/L	2.00	107.60	84.77-111.07

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Total Phosphorous(as P)	1.97	mg/L	1.50	112.30	81.14-116.06	0.286

Quality Control Batch: 10103650 Analyst: VLB


Blank	Result	Units
TKN(as N)	0.200U	mg/L

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
TKN(as N)	4.12	mg/L	4.00	102.96	82.56-111.48

Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
TKN(as N)	3.57	mg/L	3.00	107.02	70.42-125.50	0.362

Quality Control Batch: 10103693 Analyst: CLS

Blank	Result	Units
Acenaphthene	0.200U	ug/L
Acenaphthylene	0.200U	ug/L
Anthracene	0.200U	ug/L
Benzo(a)anthracene	0.200U	ug/L
Benzo(a)pyrene	0.200U	ug/L
Benzo(b)fluoranthene	0.100U	ug/L
Benzo(g,h,i)perylene	0.200U	ug/L



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464


PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103693

Analyst: CLS

Blank	Result	Units
Benzo(k)fluoranthene	0.200U	ug/L
Chrysene	0.200U	ug/L
Dibenz(a,h)anthracene	0.200U	ug/L
Fluoranthene	0.200U	ug/L
Fluorene	0.200U	ug/L
Indeno(1,2,3-cd)pyrene	0.200U	ug/L
Naphthalene	0.200U	ug/L
Phenanthrene	0.200U	ug/L
Pyrene	0.200U	ug/L
1-methyl-Naphthalene	0.200U	ug/L
2-methyl-Naphthalene	0.200U	ug/L
Surr:Nitrobenzene-d5	60.1	ug/L
Surr:Terphenyl-d14	56.9	ug/L
Surr:2-Fluorobiphenyl	36.5	ug/L

Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim
Acenaphthene	52.2	ug/L	50.0	104.48	80.00-120.00
Acenaphthylene	47.2	ug/L	50.0	94.34	80.00-120.00
Anthracene	49.6	ug/L	50.0	99.28	80.00-120.00
Benzo(a)anthracene	52.5	ug/L	50.0	104.96	80.00-120.00
Benzo(a)pyrene	50.5	ug/L	50.0	100.92	80.00-120.00
Benzo(b)fluoranthene	48.7	ug/L	50.0	97.46	80.00-120.00
Benzo(g,h,i)perylene	58.4	ug/L	50.0	116.88	80.00-120.00
Benzo(k)fluoranthene	51.7	ug/L	50.0	103.34	80.00-120.00
Chrysene	52.6	ug/L	50.0	105.22	80.00-120.00
Dibenz(a,h)anthracene	60.9	ug/L	50.0	121.86	80.00-120.00
Fluoranthene	55.5	ug/L	50.0	110.92	80.00-120.00
Fluorene	53.8	ug/L	50.0	107.54	80.00-120.00
Indeno(1,2,3-cd)pyrene	59.6	ug/L	50.0	119.10	80.00-120.00




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103693		Analyst: CLS				
Laboratory Control Sample	Result	Units	Spike	%REC	%REC Lim	
Naphthalene	50.2	ug/L	50.0	100.34	80.00-120.00	
Phenanthrene	51.8	ug/L	50.0	103.64	80.00-120.00	
Pyrene	48.9	ug/L	50.0	97.70	80.00-120.00	
1-methyl-Naphthalene	45.2	ug/L	50.0	90.30	80.00-120.00	
2-methyl-Naphthalene	48.9	ug/L	50.0	97.78	80.00-120.00	
Surr:Nitrobenzene-d5	53.8	ug/L	50.0	107.60	80.00-120.00	
Surr:Terphenyl-d14	51.9	ug/L	50.0	103.88	80.00-120.00	
Surr:2-Fluorobiphenyl	50.6	ug/L	50.0	101.18	80.00-120.00	
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample
Acenaphthene	43.4	ug/L	50.0	86.78	80.00-120.00	0.200U
Acenaphthylene	39.4	ug/L	50.0	78.74	80.00-120.00	0.200U
Anthracene	45.0	ug/L	50.0	89.92	80.00-120.00	0.200U
Benzo(a)anthracene	45.5	ug/L	50.0	90.96	80.00-120.00	0.200U
Benzo(a)pyrene	43.1	ug/L	50.0	86.16	80.00-120.00	0.200U
Benzo(b)fluoranthene	42.0	ug/L	50.0	84.02	80.00-120.00	0.100U
Benzo(g,h,i)perylene	49.1	ug/L	50.0	98.10	80.00-120.00	0.200U
Benzo(k)fluoranthene	46.8	ug/L	50.0	93.52	80.00-120.00	0.200U
Chrysene	45.3	ug/L	50.0	90.66	80.00-120.00	0.200U
Dibenz(a,h)anthracene	50.4	ug/L	50.0	100.74	80.00-120.00	0.200U
Fluoranthene	49.4	ug/L	50.0	98.74	80.00-120.00	0.200U
Fluorene	47.1	ug/L	50.0	94.24	80.00-120.00	0.200U
Indeno(1,2,3-cd)pyrene	49.0	ug/L	50.0	97.98	80.00-120.00	0.200U
Naphthalene	42.3	ug/L	50.0	84.62	80.00-120.00	0.200U
Phenanthrene	47.1	ug/L	50.0	94.26	80.00-120.00	0.200U
Pyrene	44.9	ug/L	50.0	89.78	80.00-120.00	0.200U
1-methyl-Naphthalene	38.6	ug/L	50.0	77.26	80.00-120.00	0.200U
2-methyl-Naphthalene	41.6	ug/L	50.0	83.18	80.00-120.00	0.200U
Surr:Nitrobenzene-d5	46.0	ug/L	50.0	92.00	80.00-120.00	




FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597 Phone 407 - 339 - 5984 Fax 407 - 260 - 6110 www.flowerslabs.com
8253 South U.S. Highway 1, Port St. Lucie FL 34952-2860 Phone 772 - 343 - 8006 Fax 772 - 343 - 8089
P.O. Box 1200, Madison FL 32341 Phone 850-973-6878 Fax 850-973-6878

City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Quality Control Batch: 10103693		Analyst: CLS						
Matrix Spike	Result	Units	Spike	%REC	%REC Lim	Sample		
Surr:Terphenyl-d14	46.2	ug/L	50.0	92.30	80.00-120.00			
Surr:2-Fluorobiphenyl	41.2	ug/L	50.0	82.32	80.00-120.00			
Matrix Spike Duplicate	Result	Units	Spike	%REC	%REC Lim	Sample	RPD	RPD Lim
Acenaphthene	47.6	ug/L	50.0	95.18	80.00-120.00	0.200U	9.23	20.00
Acenaphthylene	43.3	ug/L	50.0	86.64	80.00-120.00	0.200U	9.55	20.00
Anthracene	45.0	ug/L	50.0	89.90	80.00-120.00	0.200U	0.02	20.00
Benzo(a)anthracene	47.7	ug/L	50.0	95.48	80.00-120.00	0.200U	4.85	20.00
Benzo(a)pyrene	44.5	ug/L	50.0	88.90	80.00-120.00	0.200U	3.13	20.00
Benzo(b)fluoranthene	45.8	ug/L	50.0	91.62	80.00-120.00	0.100U	8.65	20.00
Benzo(g,h,i)perylene	50.2	ug/L	50.0	100.32	80.00-120.00	0.200U	2.24	20.00
Benzo(k)fluoranthene	45.0	ug/L	50.0	90.00	80.00-120.00	0.200U	3.84	20.00
Chrysene	47.0	ug/L	50.0	93.96	80.00-120.00	0.200U	3.57	20.00
Dibenz(a,h)anthracene	51.8	ug/L	50.0	103.54	80.00-120.00	0.200U	2.74	20.00
Fluoranthene	50.2	ug/L	50.0	100.44	80.00-120.00	0.200U	1.71	20.00
Fluorene	50.2	ug/L	50.0	100.42	80.00-120.00	0.200U	6.35	20.00
Indeno(1,2,3-cd)pyrene	50.9	ug/L	50.0	101.78	80.00-120.00	0.200U	3.80	20.00
Naphthalene	49.0	ug/L	50.0	97.96	80.00-120.00	0.200U	14.61	20.00
Phenanthrene	47.6	ug/L	50.0	95.14	80.00-120.00	0.200U	0.93	20.00
Pyrene	45.8	ug/L	50.0	91.62	80.00-120.00	0.200U	2.03	20.00
1-methyl-Naphthalene	41.6	ug/L	50.0	83.26	80.00-120.00	0.200U	7.48	20.00
2-methyl-Naphthalene	45.8	ug/L	50.0	91.56	80.00-120.00	0.200U	9.59	20.00
Surr:Nitrobenzene-d5	53.1	ug/L	50.0	106.20	80.00-120.00		14.33	20.00
Surr:Terphenyl-d14	50.3	ug/L	50.0	100.54	80.00-120.00		8.55	20.00
Surr:2-Fluorobiphenyl	47.1	ug/L	50.0	94.26	80.00-120.00		13.52	20.00



City of Key West
PO Box 6434
Key West, FL 33041-6464

PO #: n/a
Client Project #: Garrison Bight Marina
Date Sampled: Apr 23, 2008
May 6, 2008; Invoice: 64720

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by FCL. No unusual events occurred during analysis. Results are reported on a wet weight basis for aqueous matrices and on a dry weight basis for sludge and soil matrices unless otherwise noted.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	One or more QC samples associated with this data value exceeded QC limits.
J1	Surrogate recovery limits have been exceeded.
J2	No known quality control criteria exist for the component.
J3	Reported value failed to meet established quality control criteria for either precision or accuracy.
J4	Sample matrix interfered with the ability to make an accurate determination on the spiked sample.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
ZTNTC	Too numerous to count. Numeric value represents filtration volume.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.